

Puppy Vaccination Schedule

Please be aware that depending upon your pet's situation, the ages in which the vaccine is given could be different than the schedule indicated below. Reminders are sent as a courtesy to our clients, so it is always a good idea to keep a record of what and when your pet was vaccinated.

Vaccines:

Da2pp

Canine Distemper-Adenovirus Type 2-parainfluenza-Canine Parvovirus

Bordetella

Also known as Kennel Cough

Rabies

Rabies is a deadly virus that can be transmitted by the bite of any infected mammal.

Bats are the most common carriers in Washington State

Leptospirosis (Lepto)

(Optional, dependent on lifestyle)

Leptospirosis is bacteria that is spread through the urine of infected animals such as raccoons, rats, mice, squirrels, deer & coyotes. It can cause kidney failure and/or liver damage, and people can become infected as well.

Typical Vaccine Schedule:

8 weeks: Da2pp (1st)*

11 weeks: Da2pp (2nd)*, Bordetella (1 year)*

14 weeks: Da2pp, (3rd)*, Lepto (1st)*

17 weeks: Da2pp (4th)*, Rabies (1 year)*, Lepto (2nd)*

This schedule can change depending on age/breed of dog. Vaccine schedules are tailored to your pet. We will go over our recommended times for your pets specific needs at their wellness exam

The Bordetella & Leptospirosis vaccines need to be boosted annually. Some boarding or grooming facilities may require Bordetella every 6 months. The Da2pp and Rabies vaccine needs to be boosted after one year. From then on, if boosted properly, these vaccines will be done every 3 years.

IMPORTANT NOTE: Until fully vaccinated, puppies should be kept away from areas where unfamiliar dogs congregate. This would include pet stores, dog parks, city parks, sidewalks & grassy areas outside of veterinary offices. Puppy classes are ok since they should require all of the puppies to be going through the vaccine series